

- Prevalence and Predictors of Herbal Medicines' Use in Cancer: A systematic Review and Meta-analysis of Observational Studies (2021).
3. Ali-shtayeh MS, Jamous RM, Salameh NMY, et al. Complementary and alternative medicine use among cancer patients in Palestine with special reference to safety-related concerns. *Journal of Ethnopharmacology*, 187 (2019): 104-122.
 4. Naja F, Alameddine M, Itani L, et al. The Use of Complementary and Alternative Medicine among Lebanese Adults: Results from a National Survey. *Evidence-Based Complementary and Alternative Medicine* (2015).
 5. Chebat A, Skalli S, Errihani H, et al. Prevalence study of adverse effects related to the use of medicinal plants by patients of the National Institute of Oncology, Rabat. *Phytotherapie* 12 (2014): 25-32.
 6. Brahmi SA, Benbrahim Z, Berraho M, et al. Complementary medicine use among Moroccan patients with cancer: A descriptive study. *Pan African Medical Journal* 36 (2011).
 7. Hessissen L, Bhour M, el Kababri M, et al. Use of alternative medicine in a Moroccan pediatric oncology unit. *Journal Africain Du Cancer* 3 (2011): 163-168.
 8. Kabbaj FZ, Meddah B, Cherrah Y, et al. Ethnopharmacological profile of traditional plants used in Morocco by cancer patients as herbal therapeutics. *Phytopharmacology* 2 (2012): 243-256.
 9. Rahou BH, Rhazi KEL, Hanchi Z, et al. Self-reported Use of Complementary and Alternative Medicine among Moroccan Women with Breast Cancer. *Cancer and Oncology Research* 5 (2017): 1-9.
 10. Samouh Y, Lemrani A, Mimouni H, et al. Ethnopharmacological Study of Herbal Medicines used to treat Cancer in Morocco. *Phytopharmacology*, 8 (2018): 135-141.
 11. Tazi I, Nafil H, Mahmal L, et al. Alternative and complementary medicine in cancer patients undergoing treatment in Marrakech, Morocco: prospective study. *Bulletin of the Society of Exotic Pathology* 106 (2013): 278-285.
 12. Locales DG des C. The Beni Mellal-Khénifra region - General Monograph (2015).
 13. Bahall M. Prevalence , patterns , and perceived value of complementary and alternative medicine among cancer patients : a cross-sectional , descriptive study. *BMC Complementary and Alternative Medicine* 17 (2017): 1-9.
 14. Afifi FU, Wazaify M, Jabr M, et al. The use of herbal preparations as complementary and alternative medicine (CAM) in a sample of patients with cancer in Jordan. *Complementary Therapies in Clinical Practice* 16 (2010): 208-212.
 15. Gratus C, Damery S, Wilson S, et al. Review The use of herbal medicines by people with cancer in the UK : a systematic review of the literature. *October* 102 (2009): 831–842.
 16. Foster K, Younger N, Aiken W, et al. Reliance on medicinal plant therapy among cancer patients in Jamaica. *Cancer Causes and Control* 28 (2017): 1349-1356.
 17. Rojas TR, Bourdy G, Ruiz E, et al. Herbal Medicine Practices of Patients With Liver Cancer in Peru : A Comprehensive Study Toward Integrative Cancer Management 17 (2018): 52-64.
 18. Bazrafshani MS, Khandani BK, Pardakhty A, et al. The prevalence and predictors of using herbal medicines among Iranian cancer patients. *Complementary Therapies in Clinical Practice* 35 (2019): 368-373.
 19. Belayachi L, Aceves-Luquero C, Merghoub N, et al. Retama monosperma n-hexane extract induces cell cycle arrest and extrinsic pathway-dependent apoptosis in jurkat cells. *BMC Complementary and Alternative Medicine* 22 (2022): 286.
 20. León-González AJ, Navarro I, Acero N, et al. Genus Retama: a review on traditional uses, phytochemistry, and pharmacological activities. *Phytochemistry Reviews* 17 (2018): 701-731.
 21. Bellakhdar, J. (1997). Contribution to the study of traditional pharmacopoeia in morocco: the current situation, products' sources of knowledge Ethnopharmacological field survey carried out from 1969 to 1992 (1997): 1-7.
 22. Merghoub N, Amzazi said, Benbacer L, et al. Cytotoxic effect of some Moroccan medicinal plantextracts on human cervical cell lines. *Journal of Medicinal Plants Research* 3 (2009): 1045-1050.