

analyzed the data. All authors discussed the results. K.V.T., E.D, Q.D., A.F., D.H., F.M., J.S., K.H.C., D.D.M wrote the manuscript. All authors reviewed, edited, and approved the final manuscript.

Data Availability

Data from the Pulsewatch study will be made available upon request, subject to approval of the University of Massachusetts Chan Medical School Institutional Review Board. All questions can be addressed to khanh-van.tran@umassmemorial.org.

Code Availability

The code used for analysis can be made available under restricted access upon request for academic purposes. All questions can be addressed to fahimeh.mohagheghian@uconn.edu.

References

- Lippi G, Sanchis-Gomar F, Cervellin G. Global epidemiology of atrial fibrillation: An increasing epidemic and public health challenge. *Int J Stroke* 16 (2021): 217-221.
- Kernan WN, Ovbiagele B, Black HR, et al. Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45 (2014): 2160-2236.
- Yaghi S, Kamel H. Stratifying Stroke Risk in Atrial Fibrillation: Beyond Clinical Risk Scores. *Stroke* 48 (2017): 2665-2670.
- Lubitz SA, Yin X, McManus DD, et al. Stroke as the Initial Manifestation of Atrial Fibrillation: The Framingham Heart Study. *Stroke* 48(2017): 490-492.
- Force USPST, Curry SJ, Krist AH, et al. Screening for Atrial Fibrillation: US Preventive Services Task Force Recommendation Statement. *JAMA* 327 (2022): 360-367.
- Kleindorfer DO, Towfighi A, Chaturvedi S, et al. 2021 Guideline for the Prevention of Stroke in Patients With Stroke and Transient Ischemic Attack: A Guideline From the American Heart Association/American Stroke Association. *Stroke* 52 (2021): e364-e467.
- Wang L, Nielsen K, Goldberg J, et al. Association of Wearable Device Use With Pulse Rate and Health Care Use in Adults With Atrial Fibrillation. *JAMA Netw Open* 4 (2021): e215821.
- Rosenberg MA, Samuel M, Thosani A, et al. Use of a noninvasive continuous monitoring device in the management of atrial fibrillation: a pilot study. *Pacing Clin Electrophysiol* 36 (2013): 328-333.
- Derkac WM, Finkelmeier JR, Horgan DJ, et al. Diagnostic yield of asymptomatic arrhythmias detected by mobile cardiac outpatient telemetry and autotrigger looping event cardiac monitors. *J Cardiovasc Electrophysiol* 28 (2017): 1475-1478.
- Adam BTM, Mehta P, Ghanbari H. Real-world performance of atrial fibrillation detection from wearable patient ECG monitoring using deep learning. *Heart rhythm* (2019).
- Ko D, Dai Q, Flynn DB, et al. Meta-Analysis of Randomized Clinical Trials Comparing the Impact of Implantable Loop Recorder Versus Usual Care After Ischemic Stroke for Detection of Atrial Fibrillation and Stroke Risk. *Am J Cardiol* 162 (2022): 100-104.
- Palmer AJ, Valentine WJ, Roze S, et al. Overview of costs of stroke from published, incidence-based studies spanning 16 industrialized countries. *Curr Med Res Opin* 21 (2005): 19-26.
- Vogels EA. About one-in-five Americans use a smart watch or fitness tracker. (2020).
- Tison GH, Sanchez JM, Ballinger B, et al. Passive Detection of Atrial Fibrillation Using a Commercially Available Smartwatch. *JAMA Cardiol* 3 (2018): 409-416.
- Bumgarner JM, Lambert CT, Hussein AA, et al. Smartwatch Algorithm for Automated Detection of Atrial Fibrillation. *J Am Coll Cardiol* 71 (2018): 2381-2388.
- Nemati S, Ghassemi MM, Ambai V, et al. Monitoring and detecting atrial fibrillation using wearable technology. *Annu Int Conf IEEE Eng Med Biol Soc* 2016 (2016): 3394-3397.
- Guo Y, Wang H, Zhang H, et al. Mobile Photoplethysmographic Technology to Detect Atrial Fibrillation. *J Am Coll Cardiol* 74 (2019): 2365-2375.
- Perez MV, Mahaffey KW, Hedlin H, et al. Large-Scale Assessment of a Smartwatch to Identify Atrial Fibrillation. *N Engl J Med* 381 (2019): 1909-1917.
- Brandes A, Stavrakis S, Freedman B, et al. Consumer-Led Screening for Atrial Fibrillation: Frontier Review of the AF-SCREEN International Collaboration. *Circulation* 146 (2022): 1461-1474.
- Dickson EL, Ding EY, Saczynski JS, et al. Smartwatch monitoring for atrial fibrillation after stroke-The Pulsewatch Study: Protocol for a multiphase randomized controlled trial. *Cardiovasc Digit Health J* 2 (2021): 231-241.
- Bashar SK, Han D, Hajeb-Mohammadalipour S, et al. Atrial Fibrillation Detection from Wrist Photoplethysmography Signals Using Smartwatches. *Sci Rep* 9 (2019): 15054.

Citation: Khanh-Van Tran, Andreas Filippaios, Kamran Noorishirazi, Eric Ding, Dong Han, Fahimeh Mohagheghian, Qiying Dai, Jordy Mehawej, Ziyue Wang, Darleen Lessard, Edith Mensah Otabil, Alex Hamel, Tenes Paul, Matthew F Gottbrecht, Timothy P Fitzgibbons, Jane Saczynski, Ki H Chon, David D McManus. False Atrial Fibrillation Alerts from Smartwatches are Associated with Decreased Perceived Physical Well-being and Confidence in Chronic Symptoms Management. *Cardiology and Cardiovascular Medicine*. 7 (2023): 97-107.

22. Spitzer RL, Kroenke K, Williams JB, et al. A brief measure for assessing generalized anxiety disorder: the GAD-7. *Arch Intern Med* 166 (2006): 1092-1097.
23. Wolf MS, Smith SG, Pandit AU, et al. Development and Validation of the Consumer Health Activation Index. *Med Decis Making* 38 (2018): 334-343.
24. Huo T, Guo Y, Shenkman E, et al. Assessing the reliability of the short form 12 (SF-12) health survey in adults with mental health conditions: a report from the wellness incentive and navigation (WIN) study. *Health Qual Life Outcomes* 16 (2018): 34.
25. Sarkar U, Fisher L, Schillinger D. Is self-efficacy associated with diabetes selfmanagement across race/ethnicity and health literacy? *Diabetes Care* 29 (2006): 823-829.
26. Han D, et al. Pulsewatch: A Smartwatch System Designed with Stroke Survivors for Continuous Monitoring of Atrial Fibrillation in Older Adults after Stroke or Transient Ischemic Attack *Journal of Medical Internet Research In submission* (2022).
27. Mohagheghian F, et al. Atrial Fibrillation Detection on Reconstructed Photoplethysmography Signals Collected from a Smart Watch using Denoising Autoencoder Expert Systems With Applications Manuscript submitted for publication (2022).
28. Chiang HT, Hsieh Y, Fu S, et al. Noise Reduction in ECG Signals Using Fully Convolutional Denoising Autoencoders. *IEEE Access* 7 (2019): 60806-60813.
29. Singh P, Sharma A. Attention-Based Convolutional Denoising Autoencoder for Two- Lead ECG Denoising and Arrhythmia Classification. *IEEE Transactions on Instrumentation and Measurement* 71 (2022): 1-10.
30. Torres-Soto J, EA A. Multi-task deep learning for cardiac rhythm detection in wearable devices. *npj Digital Medicine* 3 (2020).
31. Lubitz SA, Faranesh AZ, Atlas SJ, et al. Rationale and design of a large population study to validate software for the assessment of atrial fibrillation from data acquired by a consumer tracker or smartwatch: The Fitbit heart study. *Am Heart J* 238 (2021): 16-26.
32. Saghir N, Aggarwal A, Soneji N, et al. A comparison of manual electrocardiographic interval and waveform analysis in lead I of 12-lead ECG and Apple Watch ECG: A validation study. *Cardiovasc Digit Health J* 1 (2020): 30-36.
33. Seshadri DR, Bittel B, Browsky D, et al. Accuracy of Apple Watch for Detection of Atrial Fibrillation. *Circulation* 141 (2020): 702-703.
34. Perino AC, Gummidipundi SE, Lee J, et al. Arrhythmias Other Than Atrial Fibrillation in Those With an Irregular Pulse Detected With a Smartwatch: Findings From the Apple Heart Study. *Circ Arrhythm Electrophysiol* 14 (2021): e010063.
35. Strik M, Ploux S, Ramirez FD, et al. Smartwatch-based detection of cardiac arrhythmias: Beyond the differentiation between sinus rhythm and atrial fibrillation. *Heart Rhythm* 18 (2021): 1524-1532.
36. Caillol T, Strik M, Ramirez ED, et al. Accuracy of a Smartwatch-Derived ECG for Diagnosing Bradyarrhythmias, Tachyarrhythmias, and Cardiac Ischemia. *Circ Arrhythm Electrophysiol* 14 (2021): e009260.
37. Osman W, Hanson M, Baranchuk A. Pseudo-Ventricular Tachycardia, Pseudo-Atrial Fibrillation, and Pseudo-Atrial Flutter in a Patient With Parkinson Disease: Two's Company, Three's a Crowd. *JAMA Intern Med* 179 (2019): 824-826.
38. Hwang WJ, Chen JY, Sung PS, et al. Parkinsonian tremor-induced electrocardiographic artifacts mimicking atrial flutter/fibrillation or ventricular tachycardia. *Int J Cardiol* 173 (2014): 597-600.
39. Jonas DE, Kahwati LC, Yun JDY, et al. Screening for Atrial Fibrillation With Electrocardiography: Evidence Report and Systematic Review for the US Preventive Services Task Force. *JAMA* 320 (2018): 485-498.
40. Boriani G, Schnabel RB, Healey JS, et al. Consumer-led screening for atrial fibrillation using consumer-facing wearables, devices and apps: A survey of health care professionals by AF-SCREEN international collaboration. *Eur J Intern Med* 82 (2020): 97-104.
41. Fitzmaurice DA, Richard Hobbs FD, Jowett S, et al. Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. *BMJ* 335 (2007): 383.
42. Fitzmaurice DA, McCahon D, Baker J, et al. Is screening for AF worthwhile? Stroke risk in a screened population from the SAFE study. *Fam Pract* 31 (2014): 298-302.
43. Han D, Bashar SK, Mohagheghian F, et al. Premature Atrial and Ventricular Contraction Detection using Photoplethysmographic Data from a Smartwatch. *Sensors (Basel)* 20 (2020).
44. Mohagheghian F, et al. Atrial Fibrillation Detection on Reconstructed Photoplethysmography Signals Collected from a Smart watch using Denoising Autoencoder *IEEE J Biomed Health Inform In revision* (2022).
45. Rasmussen JF, Siersma V, Malmqvist J, et al. Psychosocial consequences of false positives in the Danish Lung Cancer CT Screening Trial: a nested matched cohort study. *BMJ Open* 10 (2020): e034682.

Citation: Khanh-Van Tran, Andreas Filippaios, Kamran Noorishirazi, Eric Ding, Dong Han, Fahimeh Mohagheghian, Qiying Dai, Jordy Mehawej, Ziyue Wang, Darleen Lessard, Edith Mensah Otabil, Alex Hamel, Tenes Paul, Matthew F Gottbrecht, Timothy P Fitzgibbons, Jane Saczynski, Ki H Chon, David D McManus. False Atrial Fibrillation Alerts from Smartwatches are Associated with Decreased Perceived Physical Well-being and Confidence in Chronic Symptoms Management. *Cardiology and Cardiovascular Medicine*. 7 (2023): 97-107.

46. Toft EL, Kaae SE, Malmqvist J, et al. Psychosocial consequences of receiving false-positive colorectal cancer screening results: a qualitative study. *Scand J Prim Health Care* 37 (2019): 145-154.
47. Hafslund B, Espehaug B, Nortvedt MW. Effects of false-positive results in a breast screening program on anxiety, depression and health-related quality of life. *Cancer Nurs* 35 (2012): E26-34.
48. Filippaios A, Tran KT, Mehawej J, et al. Psychosocial measures in relation to smartwatch alerts for atrial fibrillation detection. *Cardiovasc Digit Health J* 3 (2022): 198-200.
49. Ding EY, Svennberg E, Wurster C, et al. Survey of current perspectives on consumer-available digital health devices for detecting atrial fibrillation. *Cardiovasc Digit Health J* 1 (2020): 21-29.